



WINDOW STYLES

A guide to our standard casement window styles





Wrekin Windows has specialised in supplying PVC-U windows and doors to the social housing sector since 1985 with substantial experience in affordable homes. This has given us a clear understanding of the sector and a reputation for delivering high quality, low maintenance PVC-U windows and doors that are energy efficient.



FM 09180



EMS 513947



We offer the social housing sector an unrivalled range of windows and doors in a choice of styles and finishes to suit virtually any project. Ongoing product development focuses on safety, security, energy efficiency and special needs, and all our products are rigorously tested in-house and externally by accredited independent agencies.

We operate from technologically advanced manufacturing facilities conveniently located near the M54 and M6 motorways and have produced over a million windows for social and affordable housing properties. Production and delivery is geared to meeting clients' programme needs, with 'first time complete' property installation.

NOTES

- Our Best Value range windows are more cost-effective to produce than those in the Non-Preferred range.
- All products are shown from the outside and a different reference number is given to left and right hanging options.
- Style reference numbers remain the same regardless of transom or mullion position. Style 20 is illustrated in three popular variants.
- The need to provide clear egress openings in compliance with Building Regulations, Approved Document B will often influence the styling and mullion/transom positioning. Our technical team will be happy to provide design assistance on 01952 205000.
- Storey height windows should have safety/security glazing specified - in accordance with Approved Document Q effective from October 2015 - to low level areas or alternatively select from our range of solid infill panels.
- Safety glazing is only normally necessary on low level windows.
- Other special styles are available on request.













Casement Window Style Range

BEST VALUE RANGE
01 - 199 Casement Windows

Conventions:

HANDING - VIEWED FROM OUTSIDE - point to hinge side, i.e. style 10 is left side hung hinge - style 12 is top hung hinge.

TRANSOMS - 400mm nom. drop on high level top hung fanlights and 400 up on low level fixed lights. Measured edge of outer frame to centre of transom.








Casement Window Style Range

BEST VALUE RANGE
300 - 379 Storey Height Windows

Conventions:

HANDING - VIEWED FROM OUTSIDE - point to hinge side, i.e. style 302 is left side hung hinge - style 304 is top hung hinge.

TRANSOMS - 400mm nom. drop on high level top hung fanlights and 400 up on low level fixed lights. Measured edge of outer frame to centre of transom.











Casement Window Style Range

Non-Preferred Range
 200 - 262 Casement Windows
 380 - 399 Storey Height Windows


Conventions:

HANDING - VIEWED FROM OUTSIDE - point to hinge side, i.e. style 200 is left side hung hinge - style 202 is top hung hinge.

TRANSOMS - 400mm nom. drop on high level top hung fanlights and 400 up on low level fixed lights. Measured edge of outer frame to centre of transom.



Storey Height Windows




Casement Window Style Range

Non-Preferred Range
266 - 299 Casement Windows


Conventions:

HANDING - VIEWED FROM OUTSIDE - point to hinge side, i.e. style 266 is left side hung hinge - style 267 is top hung hinge.


TRANSOMS - 400mm nom. drop on high level top hung fanlights and 400 up on low level fixed lights. Measured edge of outer frame to centre of transom.




266




267




268



269




270




271




271b




272




273




274




275




276




277




278




279




280




281




282




283




284




285




286




287




290




291




292




293




294




295




296



297



298



299

 Unit D1-D4, Stafford Park 4, Telford, Shropshire, TF3 3BA

 **01952 205000**

 01952 290956

 info@wrekin-windows.co.uk www.wrekin-windows.co.uk

